FORMALIZED MATHEMATICS
Volume 11, Number 3, 2003
University of Białystok

Hilbert Space of Real Sequences

Noboru Endou
Gifu National College of Technology

Yasumasa Suzuki
Take, Yokosuka-shi
Japan

Yasunari Shidama
Shinshu University
Nagano

Summary. A continuation of [16]. As the example of real unitary spaces, we introduce the arithmetic addition and multiplication in the set of square sum able real sequences and introduce the scaler products also. This set has the structure of the Hilbert space.

MML Identifier: RSSPACE2.

The articles [15], [17], [3], [14], [5], [18], [1], [2], [16], [12], [9], [10], [11], [8], [6], [7], [13], and [4] provide the terminology and notation for this paper.

1. Hilbert Space of Real Sequences

One can prove the following two propositions:

(1) The carrier of l2-Space = the set of l2-real sequences and for every set x holds x is an element of the carrier of l2-Space iff x is a sequence of real numbers and $\mathrm{id}_{\mathrm{seq}}(x)\ \mathrm{id}_{\mathrm{seq}}(x)$ is summable and for every set x holds x is a vector of l2-Space iff x is a sequence of real numbers and $\mathrm{id}_{\mathrm{seq}}(x)\ \mathrm{id}_{\mathrm{seq}}(x)$ is summable and $0_{\text{l2-Space}} = \text{Zeroseq}$ and for every vector u of l2-Space holds $u = \mathrm{id}_{\mathrm{seq}}(u)$ and for all vectors u, v of l2-Space holds $u+v = \mathrm{id}_{\mathrm{seq}}(u)+\mathrm{id}_{\mathrm{seq}}(v)$ and for every real number r and for every vector u of l2-Space holds $r \cdot u = r\ \mathrm{id}_{\mathrm{seq}}(u)$ and for every vector u of l2-Space holds $-u = -\mathrm{id}_{\mathrm{seq}}(u)$ and $\mathrm{id}_{\mathrm{seq}}(-u) = -\mathrm{id}_{\mathrm{seq}}(u)$ and for all vectors u, v of l2-Space holds $u - v = \mathrm{id}_{\mathrm{seq}}(u) - \mathrm{id}_{\mathrm{seq}}(v)$ and for all vectors v, w of

© 2003 University of Białystok
ISSN 1426–2630

l2-Space holds $\mathrm{id}_{\mathrm{seq}}(v)\ \mathrm{id}_{\mathrm{seq}}(w)$ is summable and for all vectors v, w of l2-Space holds $(v|w) = \sum(\mathrm{id}_{\mathrm{seq}}(v)\ \mathrm{id}_{\mathrm{seq}}(w))$.

(2) Let x, y, z be points of l2-Space and a be a real number. Then $(x|x) = 0$ iff $x = 0_{\text{l2-Space}}$ and $0 \leqslant (x|x)$ and $(x|y) = (y|x)$ and $((x + y)|z) = (x|z) + (y|z)$ and $((a \cdot x)|y) = a \cdot (x|y)$.

Let us note that l2-Space is real unitary space-like.

One can prove the following proposition

(3) For every sequence v_1 of l2-Space such that v_1 is a Cauchy sequence holds v_1 is convergent.

Let us mention that l2-Space is Hilbert and complete.

2. Miscellaneous

We now state several propositions:

(4) Let r_1 be a sequence of real numbers. Suppose for every natural number n holds $0 \leqslant r_1(n)$ and r_1 is summable. Then

(i) for every natural number n holds $r_1(n) \leqslant (\sum_{\alpha=0}^{\kappa}(r_1)(\alpha))_{\kappa\in\mathbb{N}}(n)$,

(ii) for every natural number n holds $0 \leqslant (\sum_{\alpha=0}^{\kappa}(r_1)(\alpha))_{\kappa\in\mathbb{N}}(n)$,

(iii) for every natural number n holds $(\sum_{\alpha=0}^{\kappa}(r_1)(\alpha))_{\kappa\in\mathbb{N}}(n) \leqslant \sum r_1$, and

(iv) for every natural number n holds $r_1(n) \leqslant \sum r_1$.

(5) For all real numbers x, y holds $(x + y) \cdot (x + y) \leqslant 2 \cdot x \cdot x + 2 \cdot y \cdot y$ and for all real numbers x, y holds $x \cdot x \leqslant 2 \cdot (x - y) \cdot (x - y) + 2 \cdot y \cdot y$.

(6) Let e be a real number and s_1 be a sequence of real numbers. Suppose s_1 is convergent and there exists a natural number k such that for every natural number i such that $k \leqslant i$ holds $s_1(i) \leqslant e$. Then $\lim s_1 \leqslant e$.

(7) Let c be a real number and s_1 be a sequence of real numbers. Suppose s_1 is convergent. Let r_1 be a sequence of real numbers. Suppose that for every natural number i holds $r_1(i) = (s_1(i) - c) \cdot (s_1(i) - c)$. Then r_1 is convergent and $\lim r_1 = (\lim s_1 - c) \cdot (\lim s_1 - c)$.

(8) Let c be a real number and s_1, s_2 be sequences of real numbers. Suppose s_1 is convergent and s_2 is convergent. Let r_1 be a sequence of real numbers. Suppose that for every natural number i holds $r_1(i) = (s_1(i) - c) \cdot (s_1(i) - c) + s_2(i)$. Then r_1 is convergent and $\lim r_1 = (\lim s_1 - c) \cdot (\lim s_1 - c) + \lim s_2$.

References

[1] Czesław Byliński. Functions and their basic properties. *Formalized Mathematics*, 1(**1**):55–65, 1990.

[2] Czesław Byliński. Functions from a set to a set. *Formalized Mathematics*, 1(**1**):153–164, 1990.

[3] Czesław Byliński. Some basic properties of sets. *Formalized Mathematics*, 1(**1**):47–53, 1990.

[4] Noboru Endou, Yasumasa Suzuki, and Yasunari Shidama. Real linear space of real sequences. *Formalized Mathematics*, 11(**3**):249–253, 2003.
[5] Krzysztof Hryniewiecki. Basic properties of real numbers. *Formalized Mathematics*, 1(**1**):35–40, 1990.
[6] Jarosław Kotowicz. Convergent sequences and the limit of sequences. *Formalized Mathematics*, 1(**2**):273–275, 1990.
[7] Jarosław Kotowicz. Monotone real sequences. Subsequences. *Formalized Mathematics*, 1(**3**):471–475, 1990.
[8] Jarosław Kotowicz. Real sequences and basic operations on them. *Formalized Mathematics*, 1(**2**):269–272, 1990.
[9] Jan Popiołek. Introduction to Banach and Hilbert spaces - part I. *Formalized Mathematics*, 2(**4**):511–516, 1991.
[10] Jan Popiołek. Introduction to Banach and Hilbert spaces - part II. *Formalized Mathematics*, 2(**4**):517–521, 1991.
[11] Jan Popiołek. Introduction to Banach and Hilbert spaces - part III. *Formalized Mathematics*, 2(**4**):523–526, 1991.
[12] Jan Popiołek. Real normed space. *Formalized Mathematics*, 2(**1**):111–115, 1991.
[13] Konrad Raczkowski and Andrzej Nędzusiak. Series. *Formalized Mathematics*, 2(**4**):449–452, 1991.
[14] Andrzej Trybulec. Introduction to arithmetics. *To appear in Formalized Mathematics.*
[15] Andrzej Trybulec. Tarski Grothendieck set theory. *Formalized Mathematics*, 1(**1**):9–11, 1990.
[16] Wojciech A. Trybulec. Vectors in real linear space. *Formalized Mathematics*, 1(**2**):291–296, 1990.
[17] Zinaida Trybulec. Properties of subsets. *Formalized Mathematics*, 1(**1**):67–71, 1990.
[18] Edmund Woronowicz. Relations and their basic properties. *Formalized Mathematics*, 1(**1**):73–83, 1990.

Received April 3, 2003